Connecting via Winsock to STN

```
Welcome to STN International! Enter x:x
```

LOGINID:ssspta1621con

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

```
* * * * * * * * * *
                     Welcome to STN International
NEWS
                 Web Page for STN Seminar Schedule - N. America
      2 DEC 01
                 ChemPort single article sales feature unavailable
NEWS
NEWS
         APR 03
                 CAS coverage of exemplified prophetic substances
                 enhanced
NEWS
         APR 07
                 STN is raising the limits on saved answers
NEWS 5
         APR 24
                 CA/CAplus now has more comprehensive patent assignee
                 information
NEWS 6 APR 26
                 USPATFULL and USPAT2 enhanced with patent
                 assignment/reassignment information
NEWS
     7 APR 28
                 CAS patent authority coverage expanded
NEWS 8 APR 28
                 ENCOMPLIT/ENCOMPLIT2 search fields enhanced
NEWS 9 APR 28 Limits doubled for structure searching in CAS
                 REGISTRY
NEWS 10 MAY 08 STN Express, Version 8.4, now available
NEWS 11 MAY 11 STN on the Web enhanced
NEWS 12 MAY 11
                 BEILSTEIN substance information now available on
                 STN Easy
NEWS 13 MAY 14
                 DGENE, PCTGEN and USGENE enhanced with increased
                 limits for exact sequence match searches and
                 introduction of free HIT display format
NEWS 14
         MAY 15
                 INPADOCDB and INPAFAMDB enhanced with Chinese legal
                 status data
NEWS 15
         MAY 28 CAS databases on STN enhanced with NANO super role in
                 records back to 1992
NEWS 16
         JUN 01 CAS REGISTRY Source of Registration (SR) searching
                 enhanced on STN
                 NUTRACEUT and PHARMAML no longer updated
         JUN 26
NEWS 17
NEWS 18
         JUN 29
                 IMSCOPROFILE now reloaded monthly
NEWS 19
         JUN 29
                 EPFULL adds Simultaneous Left and Right Truncation
                 (SLART) to AB, MCLM, and TI fields
         JUL 09 PATDPAFULL adds Simultaneous Left and Right
NEWS 20
                 Truncation (SLART) to AB, CLM, MCLM, and TI fields
NEWS 21
         JUL 14
                 USGENE enhances coverage of patent sequence location
                 (PSL) data
NEWS 22
         JUL 14
                 CA/CAplus to be enhanced with new citing references
                 features
NEWS EXPRESS MAY 26 09 CURRENT WINDOWS VERSION IS V8.4,
             AND CURRENT DISCOVER FILE IS DATED 06 APRIL 2009.
```

NEWS HOURS STN Operating Hours Plus Help Desk Availability

NEWS LOGIN Welcome Banner and News Items

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN customer agreement. This agreement limits use to scientific research. Use for software development or design, implementation of commercial gateways, or use of CAS and STN data in the building of commercial products is prohibited and may result in loss of user privileges and other penalties.

FILE 'HOME' ENTERED AT 09:48:35 ON 15 JUL 2009

=> FILE REG

COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION 0.22 0.22

FULL ESTIMATED COST

FILE 'REGISTRY' ENTERED AT 09:48:50 ON 15 JUL 2009 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2009 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

13 JUL 2009 HIGHEST RN 1162342-48-4 STRUCTURE FILE UPDATES: DICTIONARY FILE UPDATES: 13 JUL 2009 HIGHEST RN 1162342-48-4

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 9, 2009.

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

http://www.cas.org/support/stngen/stndoc/properties.html

Uploading C:\Program Files\Stnexp\Queries\GGSS47.str


chain nodes : 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 ring nodes : 1 2 3 4 5 6 7 8 9 10 11 12 chain bonds : $1-21 \quad 2-22 \quad 3-15 \quad 4-17 \quad 5-20 \quad 6-18 \quad 7-23 \quad 7-24 \quad 8-25 \quad 8-26 \quad 9-27 \quad 9-28 \quad 10-13$ 11-15 11-29 12-14 15-16 18-19 ring bonds : $1-2 \quad 1-6 \quad 2-3 \quad 3-4 \quad 4-5 \quad 5-6 \quad 7-8 \quad 7-12 \quad 8-9 \quad 9-10 \quad 10-11 \quad 11-12$ exact/norm bonds : 7-8 7-12 8-9 9-10 10-11 10-13 11-12 12-14 15-16 exact bonds : $1-21 \quad 2-22 \quad 3-15 \quad 4-17 \quad 5-20 \quad 6-18 \quad 7-23 \quad 7-24 \quad 8-25 \quad 8-26 \quad 9-27 \quad 9-28 \quad 11-15$ 11-29 18-19 normalized bonds : 1-2 1-6 2-3 3-4 4-5 5-6

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom 11:Atom 12:Atom 13:CLASS 14:CLASS 15:CLASS 16:CLASS 17:CLASS 18:CLASS 19:CLASS 20:CLASS 21:CLASS 22:CLASS 23:CLASS 24:CLASS 25:CLASS 26:CLASS 27:CLASS 28:CLASS 29:CLASS

L1 STRUCTURE UPLOADED

=> D L1 L1 HAS NO ANSWERS L1 STR



Structure attributes must be viewed using STN Express query preparation.

=> S L1 FULL

FULL SEARCH INITIATED 09:49:20 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 1282 TO ITERATE

100.0% PROCESSED 1282 ITERATIONS SEARCH TIME: 00.00.02

L2 293 SEA SSS FUL L1

=> S L2 AND ISOLATION

5 ISOLATION

L3 0 L2 AND ISOLATION

=> S L2 AND

MISSING TERM AFTER L2 AND

Operators must be followed by a search term, L-number, or query name.

=> FILE CAPLUS

COST IN U.S. DOLLARS SINCE FILE TOTAL

ENTRY SESSION

293 ANSWERS

FULL ESTIMATED COST 191.71 191.93

FILE 'CAPLUS' ENTERED AT 09:50:18 ON 15 JUL 2009

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2009 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is

held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 15 Jul 2009 VOL 151 ISS 3
FILE LAST UPDATED: 14 Jul 2009 (20090714/ED)
REVISED CLASS FIELDS (/NCL) LAST RELOADED: Apr 2009
USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE: Apr 2009

CAplus now includes complete International Patent Classification (IPC) reclassification data for the second quarter of 2009.

CAS Information Use Policies apply and are available at:

http://www.cas.org/legal/infopolicy.html

This file contains CAS Registry Numbers for easy and accurate substance identification.

The ALL, BIB, MAX, and STD display formats in the CA/CAplus family of databases will soon be updated to include new citing references information. This enhancement may impact record import into database management software. For additional information, refer to NEWS 22.

=> S L2

L4 411 L2

=> S L4 AND ISOLATION 290561 ISOLATION

L5 3 L4 AND ISOLATION

=> S L4 AND PURIFICATION 374630 PURIFICATION

L6 3 L4 AND PURIFICATION

=> S L4 AND FILTRATION
263426 FILTRATION

L7 2 L4 AND FILTRATION

=> D L5 IBIB ABS HITSTR 1-3

L5 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 2009:263695 CAPLUS

DOCUMENT NUMBER: 150:534265

TITLE: Isolation and characterization of

mesotrione-degrading Bacillus sp. from soil

AUTHOR(S): Batisson, Isabelle; Crouzet, Olivier; Besse-Hoggan,

Pascale; Sancelme, Martine; Mangot, Jean-Francois;

Mallet, Clarisse; Bohatier, Jacques

CORPORATE SOURCE: Laboratoire Microorganismes, Genome et Environnement,

UMR 6023 CNRS, Universite Blaise-Pascal, Aubiere,

STN: SEARCH

63177, Fr.

SOURCE: Environmental Pollution (Oxford, United Kingdom)

(2009), 157(4), 1195-1201 CODEN: ENPOEK; ISSN: 0269-7491

PUBLISHER: Elsevier Ltd.

DOCUMENT TYPE: Journal LANGUAGE: English


Dissipation kinetics of mesotrione, a new triketone herbicide, sprayed on soil from Limagne (Puy-de-Do.cxa.me, France) showed that the soil microflora were able to biotransform it. Bacteria from this soil were cultured in mineral salt solution supplemented with mesotrione as sole source of carbon for the isolation of mesotrione-degrading bacteria. The bacterial community structure of the enrichment cultures was analyzed by temporal temperature gradient gel electrophoresis (TTGE). The TTGE fingerprints revealed that mesotrione had an impact on bacterial community structure only at its highest concns. and showed mesotrione-sensitive and mesotrione-adapted strains. Two adapted strains, identified as Bacillus sp. and Arthrobacter sp., were isolated by colony hybridization methods. Biodegrdn. assays showed that only the Bacillus sp. strain was able to completely and rapidly biotransform mesotrione. Among several metabolites formed, 2-amino-4-methylsulfonylbenzoic acid (AMBA) accumulated in the medium. Although sulcotrione has a chemical structure closely resembling that of mesotrione, the isolates were unable to degrade it. A Bacillus sp. strain isolated from soil was able to completely and rapidly biotransform the triketone herbicide mesotrione.

IT 104206-82-8, Mesotrione

RL: BSU (Biological study, unclassified); BIOL (Biological study) (isolation and characterization of mesotrione-degrading Bacillus sp. from soil)

RN 104206-82-8 CAPLUS

CN 1,3-Cyclohexanedione, 2-[4-(methylsulfonyl)-2-nitrobenzoyl]- (CA INDEX NAME)



REFERENCE COUNT: 34 THERE ARE 34 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L5 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 2008:80142 CAPLUS

DOCUMENT NUMBER: 150:77303

TITLE: Synthesis of 2-[4-(methylsulfonyl)-2-nitrobenzoyl]-1,3-

cyclohexanedione (mesotrione) and determination of its

activity as herbicide

AUTHOR(S): Yang, Jianbo; Pang, Huailin; Huang, Chaoqun

CORPORATE SOURCE: Hunan Research Institute of Chemical Industry,

Changsha, 410007, Peop. Rep. China

SOURCE: Nongyao (2006), 45(11), 746-747, 755

STN: SEARCH

CODEN: NONGFP; ISSN: 1006-0413

PUBLISHER: Nongyao Bianjibu

DOCUMENT TYPE: Journal LANGUAGE: Chinese

OTHER SOURCE(S): CASREACT 150:77303

AB Mesotrione was synthesized via five-step reactions such as nitration, oxidation, acylation, condensation and rearrangement from 4-methylsulfonyl toluene used as the starting reagent. The intermediates 2-nitro-4-(methylsulfonyl)toluene and 2-nitro-4-methylsulfonylbenzoyl chloride could be used directly without isolation from the system. The total yield was 64%, with a purity more than 96%. Field expts. indicated that mesotrione at dosage of 97.5-150 g a.i./ha had effective control of dicotyledoneae (Magnoliopsida) such as Commelina communis L., Abutilon theophrasti Medicus, Polygonaceae, Acalypha australis L., Chenopodium album L., Amaranthus retroflexus L. etc., and also had some effect on monocotyledoneae (Liliopsida) such as Digitaria sanguinalis (L:) Scop., Echinochloa crus-galli (L.) Beauv. and Setaria viridis (L.) Beauv. Mesotrione was safe for corn.


IT 104206-82-8P, Mesotrione

RL: AGR (Agricultural use); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of mesotrione and determination of its activity as herbicide)

RN 104206-82-8 CAPLUS

CN 1,3-Cyclohexanedione, 2-[4-(methylsulfonyl)-2-nitrobenzoyl]- (CA INDEX NAME)



L5 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 2006:983705 CAPLUS

DOCUMENT NUMBER: 146:458195

TITLE: First isolation and characterization of a

bacterial strain that biotransforms the herbicide

mesotrione

AUTHOR(S): Durand, S.; Amato, P.; Sancelme, M.; Delort, A.-M.;

Combourieu, B.; Besse-Hoggan, P.

CORPORATE SOURCE: Laboratoire de Synthese Et Etude de Systemes a Interet

Biologique, UMR 6504 CNRS-Universite Blaise Pascal,

Aubiere, Fr.

SOURCE: Letters in Applied Microbiology (2006), 43(2), 222-228

CODEN: LAMIE7; ISSN: 0266-8254

PUBLISHER: Blackwell Publishing Ltd.

DOCUMENT TYPE: Journal LANGUAGE: English

AB The aim of this study was to find and characterize a fungal or bacterial strain capable of metabolizing mesotrione, a new selective herbicide for control of broad-leaved weeds in maize. This strain was isolated from

cloud water and showed close phylogenetic relationship with strains belonging to the Bacillus genus, based on 16S rRNA gene alignment. Kinetics of mesotrione degradation were monitored by high-performance liquid chromatog. and in situ 1H NMR spectroscopy at different concns. Mesotrione was completely biotransformed even at 5 mmol 1-1 concentration 2-Amino-4-methylsulfonyl benzoic acid (AMBA) was identified as one of the metabolites, but was not the major one. This study reports the first rapid mesotrione biotransformation by a pure bacterial strain and the formation of several metabolites including AMBA. This bacterium isolated from cloud water is the first pure strain capable of rapidly degrading mesotrione.

IT 104206-82-8, Mesotrione

RL: AGR (Agricultural use); BSU (Biological study, unclassified); BIOL (Biological study); USES (Uses)

(first isolation and characterization of a bacterial strain that biotransforms the herbicide mesotrione)

RN 104206-82-8 CAPLUS

CN 1,3-Cyclohexanedione, 2-[4-(methylsulfonyl)-2-nitrobenzoyl]- (CA INDEX NAME)

REFERENCE COUNT:

23 THERE ARE 23 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> D L6 IBIB ABS HITATR 1-3
'HITATR' IS NOT A VALID FORMAT FOR FILE 'CAPLUS'

The following are valid formats:

ABS ----- GI and AB

ALL ----- BIB, AB, IND, RE APPS ----- AI, PRAI BIB ----- AN, plus Bibliographic Data and PI table (default) CAN ----- List of CA abstract numbers without answer numbers CBIB ----- AN, plus Compressed Bibliographic Data CLASS ----- IPC, NCL, ECLA, FTERM DALL ---- ALL, delimited (end of each field identified) DMAX ----- MAX, delimited for post-processing FAM ----- AN, PI and PRAI in table, plus Patent Family data FBIB ----- AN, BIB, plus Patent FAM IND ----- Indexing data IPC ----- International Patent Classifications MAX ----- ALL, plus Patent FAM, RE PATS ----- PI, SO SAM ----- CC, SX, TI, ST, IT SCAN ----- CC, SX, TI, ST, IT (random display, no answer numbers;

SCAN must be entered on the same line as the DISPLAY, e.g., D SCAN or DISPLAY SCAN) STD ----- BIB, CLASS IABS ----- ABS, indented with text labels IALL ----- ALL, indented with text labels IBIB ----- BIB, indented with text labels IMAX ----- MAX, indented with text labels ISTD ----- STD, indented with text labels OBIB ----- AN, plus Bibliographic Data (original) OIBIB ----- OBIB, indented with text labels SBIB ----- BIB, no citations SIBIB ----- IBIB, no citations HIT ----- Fields containing hit terms HITIND ----- IC, ICA, ICI, NCL, CC and index field (ST and IT) containing hit terms HITRN ----- HIT RN and its text modification HITSTR ----- HIT RN, its text modification, its CA index name, and its structure diagram HITSEQ ----- HIT RN, its text modification, its CA index name, its structure diagram, plus NTE and SEQ fields FHITSTR ---- First HIT RN, its text modification, its CA index name, and its structure diagram FHITSEQ ---- First HIT RN, its text modification, its CA index name, its structure diagram, plus NTE and SEQ fields KWIC ----- Hit term plus 20 words on either side OCC ----- Number of occurrence of hit term and field in which it occurs To display a particular field or fields, enter the display field codes. For a list of the display field codes, enter HELP DFIELDS at an arrow prompt (=>). Examples of formats include: TI; TI, AU; BIB, ST; TI, IND; TI, SO. You may specify the format fields in any order and the information will be displayed in the same order as the format specification. All of the formats (except for SAM, SCAN, HIT, HITIND, HITRN, HITSTR, FHITSTR, HITSEQ, FHITSEQ, KWIC, and OCC) may be used with DISPLAY ACC to view a specified Accession Number. ENTER DISPLAY FORMAT (BIB): END => D L6 IBIB ABS HITSTR 1-3

ANSWER 1 OF 3 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 2007:338928 CAPLUS

147:15308 DOCUMENT NUMBER:

TITLE: Photodegradation of sulcotrione in various aquatic

environments and toxicity of its photoproducts for

some marine micro-organisms

Chaabane, Hanene; Vulliet, Emmanuelle; Joux, Fabien; AUTHOR(S):

Lantoine, Francois; Conan, Pascal; Cooper,

Jean-Francois; Coste, Camille-Michel

CORPORATE SOURCE: Laboratoire de Chimie des Biomolecules et de

l'Environnement, Centre de Phytopharmacie, Universite

de Perpignan, Perpignan, 66860, Fr.

10/598,993 07/15/2009

STN: SEARCH

Water Research (2007), 41(8), 1781-1789 SOURCE:

CODEN: WATRAG; ISSN: 0043-1354

Elsevier Ltd. PUBLISHER:

DOCUMENT TYPE: Journal LANGUAGE: English

Photochem. behavior of sulcotrione, a triketone herbicide, was studied in AB a variety of aqueous solns. including natural waters (sea and river) under laboratory conditions. Photodegrdn. expts. were carried out under two

irradiation

systems (UV-B and simulated solar radiation) in order to evaluate kinetics of active ingredient. The degradation kinetics, more rapid under UV-B radiation than solar simulator, followed a first-order reaction (photolysis half-lives 3-50 h) and appeared strongly dependent on water origin, pH and mol. structure of the herbicide. Dissolved organic matter showed a retarding effect while low concns. of nitrates had no effect on photolysis rate. Identification of photoproducts indicated that hydrolysis, a pH-dependent process (no degradation at pH >6 but at pH =3, k =0.0344/h), could be photoassisted. These results were compared to those of mesotrione, another triketone herbicide, which appeared more stable under UV-B irradiation Toxicol. studies on 2 marine heterotrophic bacteria and one cyanobacterium showed absence of effects $\leq 100 \, \mu g/L$ for both sulcotrione and its photoproducts.


104206-82-8, Mesotrione ΙT

RL: POL (Pollutant); OCCU (Occurrence)

(photodegrdn. of sulcotrione in various aquatic environments and toxicity of its photoproducts to marine microorganisms)

RN 104206-82-8 CAPLUS

CN 1,3-Cyclohexanedione, 2-[4-(methylsulfonyl)-2-nitrobenzoyl]- (CA INDEX



REFERENCE COUNT: 25 THERE ARE 25 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

ANSWER 2 OF 3 CAPLUS COPYRIGHT 2009 ACS on STN

2005:346978 CAPLUS ACCESSION NUMBER:

142:392176 DOCUMENT NUMBER:

TITLE: Process for the preparation and purification of mesotrione using mesotrione enolate formation

Wichert, Julie Marie; Benke, Alan Henry; INVENTOR(S):

Guidetti-Grept, Regine Laure

PATENT ASSIGNEE(S): Syngenta Participations A.-G., Switz.

PCT Int. Appl., 26 pp. SOURCE:

CODEN: PIXXD2

DOCUMENT TYPE: Patent LANGUAGE: English

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

					KIND DATE				APPLICATION NO.					DATE			
WO	2005				A1 20050421								960			0041	001
	W:	ΑE,	AG,	AL,	AM,	ΑT,	ΑU,	ΑZ,	BA,	BB,	ВG,	BR,	BW,	BY,	ΒZ,	CA,	CH,
		CN,	CO,	CR,	CU,	CZ,	DE,	DK,	DM,	DΖ,	EC,	EE,	EG,	ES,	FΙ,	GB,	GD,
		GE,	GH,	GM,	HR,	HU,	ID,	IL,	IN,	IS,	JP,	ΚE,	KG,	KP,	KR,	ΚZ,	LC,
		LK,	LR,	LS,	LT,	LU,	LV,	MA,	MD,	MG,	MK,	MN,	MW,	MX,	MZ,	NA,	NI,
		NO,	NΖ,	OM,	PG,	PH,	PL,	PT,	RO,	RU,	SC,	SD,	SE,	SG,	SK,	SL,	SY,
		,	,	,	,	,	,	,	,	,	UZ,	,	,		,		
	RW:										SL,						
											BE,	-		-			
											LU,						
				•	BF,	ВJ,	CF,	CG,	CI,	CM,	GΑ,	GN,	GQ,	GW,	ML ,	MR,	NE,
			TD,														
	2004																
	2537																
EP	1682																
	R:	,	,	•	•	,	,	,	,	,	IT,	,	,	NL,	SE,	MC,	PT,
017	1000										HU,				^	0011	0.01
	1860						2006			CN 2	004-	8002	8182		2	0041	001
	1003						2008			- A	004	1 5 0 1	^		0	0011	0.01
BK	2004	0150	19 57		A		2006	1178			004-		-		_		
	2007						2007			-	006-						
	2006 2006		-				2007 2006	-			006- 006-					0060	
	2006						2006				006-						
	2006						2000				006-					0060	
	2008						2007				007-					0070	
	2006 (APP:				ΔI		2000	V 4 4 I			007-					0070	
OIVIII	. ALE	T11 •	T1/11 ()	• •							004-		-			0031	
											004-					0040	-
										NO 2	UUT .	DI IO	J 0 0	,	. 2	0011	001

AΒ A process for reducing the levels of impurities in mesotrione is described comprising: (i) forming a mesotrione enolate (e.g., the potassium enolate) in an aqueous solvent; (ii) carrying out one or more purification processes

adsorption, distillation, etc.); and (iii) crystallizing the purified mesotrione out

of solution


104206-82-8P, Mesotrione

RL: PEP (Physical, engineering or chemical process); PUR (Purification or recovery); PYP (Physical process); SPN (Synthetic preparation); PREP (Preparation); PROC (Process)

(process for the preparation and purification of mesotrione using mesotrione enolate formation)

RN 104206-82-8 CAPLUS

CN 1,3-Cyclohexanedione, 2-[4-(methylsulfonyl)-2-nitrobenzoyl]- (CA INDEX NAME)



REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L6 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 2002:754346 CAPLUS

DOCUMENT NUMBER: 137:262844
TITLE: Purification of

2-nitro-4-methylsulfonylbenzoic acid

INVENTOR(S): Javdani, Kambiz; Rodriguez, Gilbert; Muxworthy, James

Peter

PATENT ASSIGNEE(S): Syngenta Limited, UK SOURCE: PCT Int. Appl., 12 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE				
		A2 20021003 WO 2002-GB1433 A3 20030220						
CO, CR, GM, HR, LS, LT,	CU, CZ, DE HU, ID, IL LU, LV, MA	E, DK, DM, 1 L, IN, IS, 4 A, MD, MG, 1	BA, BB, BG, BR, BY, BZ, DZ, EC, EE, ES, FI, GB, JP, KE, KG, KP, KR, KZ, MK, MN, MW, MX, MZ, NO, SI, SK, SL, TJ, TM, TN,	GD, GE, GH, LC, LK, LR, NZ, OM, PH,				
RW: GH, GM, KG, KZ, GR, IE,	MD, RU, TJ	N, MZ, SD, J, TM, AT, 1 C, NL, PT,	SL, SZ, TZ, UG, ZM, ZW, BE, CH, CY, DE, DK, ES, SE, TR, BF, BJ, CF, CG,	FI, FR, GB,				
CA 2434980	A1 A1	20021003 20021008	CA 2002-2434980 AU 2002-249384	20020325 20020325				
HU 2003002530 HU 2003002530	A2 A3	20031128 20051128	HU 2003-2530 EP 2002-718314					
R: AT, BE, IE, SI,	CH, DE, DK LT, LV, FI	K, ES, FR, (I, RO, MK, (GB, GR, IT, LI, LU, NL, CY, AL, TR	SE, MC, PT,				
CN 1250525	С	20060412	CN 2002-807203					
JP 3911237	T B2	20040819 20070509	BR 2002-7414 JP 2002-576196	20020325				
RU 2287521	C2	20061120	RU 2003-131328	20020325				

TW 224091	В	20041121	TW	2002-91114621		20020702
IN 2003MN00707	A	20050624	IN	2003-MN707		20030717
ZA 2003006327	A	20040903	ZA	2003-6327		20030814
KR 8585 46	B1	20080912	KR	2003-711328		20030828
MX 2003008279	A	20031212	MX	2003-8279		20030912
US 20040171872	A1	20040902	US	2004-472962		20040409
US 7285678	B2	20071023				
PRIORITY APPLN. INFO.:			US	2001-275061P	Р	20010326
			WO	2002-GB1433	W	20020325

AB A method for removing impurities from 2-nitro-4-methylsulfonylbenzoic acid comprises at least two of the following steps, in any order: (a) dissolving 2-nitro-4-methylsulfonylbenzoic acid in water at a pH of 2-10, followed by filtration; (b) contacting an aqueous solution of 2-nitro-4-methylsulfonylbenzoic acid with activated carbon at a pH of 2-10; (c) treating an aqueous solution of 2-nitro-4-methylsulfonylbenzoic acid with sufficient base to hydrolyze undesired nitro and dinitro substituted impurities; followed by maintaining the resulting aqueous solution comprising 2-nitro-4-methylsulfonylbenzoic acid at a temperature of up to about 95°C, and adjusting the pH of the solution to about a pH which is sufficient to effect crystallization of 2-nitro-4-methylsulfonylbenzoic acid upon

cooling.

IT 104206-82-8P, Mesotrione

RL: IMF (Industrial manufacture); PREP (Preparation)

(purification of 2-nitro-4-methylsulfonylbenzoic acid for preparation of)

RN 104206-82-8 CAPLUS

CN 1,3-Cyclohexanedione, 2-[4-(methylsulfonyl)-2-nitrobenzoyl]- (CA INDEX NAME)

REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> D L7 IBIB ABS HITSTR -12

L7 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 2005:346978 CAPLUS

DOCUMENT NUMBER: 142:392176

TITLE: Process for the preparation and purification of mesotrione using mesotrione enolate formation

INVENTOR(S): Wichert, Julie Marie; Benke, Alan Henry;

Guidetti-Grept, Regine Laure

PATENT ASSIGNEE(S): Syngenta Participations A.-G., Switz.

SOURCE: PCT Int. Appl., 26 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PA'								APPLICATION NO.						DATE				
WO									. WO 2004-EP10960									
	W:	ΑE,	AG,	AL,	AM,	ΑT,	AU,	ΑZ,	BΑ,	BE	BG,	BR,	BW,	BY,	BZ	, CA,	CH,	
		CN,	CO,	CR,	CU,	CZ,	DE,	DK,	DM,	DZ	EC,	EE,	EG,	ES,	FΙ	, GB,	GD,	
		GE,	GH,	GM,	HR,	HU,	ID,	IL,	IN,	IS	JP,	KE,	KG,	KP,	KR	, KZ,	LC,	
		LK,	LR,	LS,	LT,	LU,	LV,	MA,	MD,	MG	, MK,	MN,	MW,	MX,	MZ	, NA,	NI,	
		NO,	NZ,	OM,	PG,	PH,	PL,	PT,	RO,	RU	J, SC,	SD,	SE,	SG,	SK	, SL,	SY,	
		ТJ,	TM,	TN,	TR,	TT,	TZ,	UA,	UG,	US	, UZ,	VC,	VN,	YU,	ZA	, ZM,	zw	
	RW:	BW,	GH,	GM,	ΚE,	LS,	MW,	ΜZ,	ΝA,	SE	, SL,	SZ,	TZ,	UG,	ZM	, ZW,	AM,	
		ΑZ,	BY,	KG,	ΚZ,	MD,	RU,	ТJ,	TM,	ΑT	, BE,	BG,	CH,	CY,	CZ	, DE,	DK,	
		EE,	ES,	FI,	FR,	GB,	GR,	HU,	ΙE,	ΙΊ	LU,	MC,	NL,	PL,	PT	, RO,	SE,	
		SI,	SK,	TR,	BF,	ВJ,	CF,	CG,	CI,	CM	1, GA,	GN,	GQ,	GW,	ML	, MR,	ΝE,	
			TD,															
											2004-					20041		
								0421		CA	2004-	-2537	986			20041	001	
EP	1682															20041		
	R:	-		-	-									ΝL,	SE	, MC,	PT,	
											:, HU,							
CN	1860	102			A		2006	1108		СИ	2004-	-8002	8185			20041	001	
CN	1860 1003	7807	1		С		2008	0402					_					
BR	2004	0150	19		A		2006	1128			2004-					20041		
	2007										2006-					20041		
	2006				A		2007				2006-					20060		
	2006						2006				2006-					20060		
	2006						2006				2006-					20060		
	2006										2006-					20060		
	2008				Al		2008	U221			2007-					20070		
OKIT	Y APP	ĿΝ.	TNEO	• :							2003-					20031		
											2004-					20040		
-		_		,				,			2004-					20041		

A process for reducing the levels of impurities in mesotrione is described comprising: (i) forming a mesotrione enolate (e.g., the potassium enolate) in an aqueous solvent; (ii) carrying out one or more purification processes

adsorption, distillation, etc.); and (iii) crystallizing the purified mesotrione out

of solution


104206-82-8P, Mesotrione

RL: PEP (Physical, engineering or chemical process); PUR (Purification or recovery); PYP (Physical process); SPN (Synthetic preparation); PREP (Preparation); PROC (Process)

(process for the preparation and purification of mesotrione using mesotrione enolate formation)

104206-82-8 CAPLUS RN

1,3-Cyclohexanedione, 2-[4-(methylsulfonyl)-2-nitrobenzoyl]- (CA INDEX CN NAME)



REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L7 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 2002:754346 CAPLUS

DOCUMENT NUMBER: 137:262844

TITLE: Purification of 2-nitro-4-methylsulfonylbenzoic acid INVENTOR(S): Javdani, Kambiz; Rodriguez, Gilbert; Muxworthy, James

Peter

PATENT ASSIGNEE(S): Syngenta Limited, UK SOURCE: PCT Int. Appl., 12 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.					KIND DATE			APPLICATION NO.						DATE			
WO 2002076934 WO 2002076934									WO 2002-GB1433						20020325		
		AE, CO, GM, LS, PL,	AG, CR, HR, LT, PT,	AL, CU, HU, LU, RO,	AM, CZ, ID, LV, RU,	AT, DE, IL, MA, SD,	AU, DK, IN, MD, SE, YU,	AZ, DM, IS, MG, SG,	DZ, JP, MK, SI,	EC, KE, MN, SK,	EE, KG, MW,	ES, KP, MX,	FI, KR, MZ,	GB, KZ, NO,	GD, LC, NZ,	GE, LK, OM,	GH, LR, PH,
	RW:	GH, KG, GR,	GM, KZ, IE,	KE, MD, IT,	LS, RU, LU,	MW, TJ, MC,	MZ, TM, NL,	SD, AT, PT,	SL, BE, SE,	SZ, CH, TR,	CY,	DE,	DK,	ES,	FI,	FR,	GB,
AU	AU 2002249384				A1 20021003 A1 20021008				CA 2002-2434980 AU 2002-249384						2	0020 0020	325 325
HU					A2	A2 20031128				HU 2	003-	2530			2	0020	325
ΕP	1377 R:	AT,	BE,	CH,	DE,	DK,	2004 ES, RO,	FR,	GB,	GR,	IT,						-
СИ	1500 1250	077 525			A C		2004 2006	0526 0412		CN 2	002-						
JP	2002 2004 3911	5251	45		T		2004 2004 2007	0819								0020: 0020:	
RU	2287 2240	521			C2		2006 2004	1120		-			28 4621				

IN 2003MN00707	A	20050624	IN	2003-MN707		20030717
ZA 2003006327	A	20040903	ZA	2003-6327		20030814
KR 858546	В1	20080912	KR	2003-711328		20030828
MX 2003008279	A	20031212	MX	2003-8279		20030912
US 20040171872	A1	20040902	US	2004-472962		20040409
US 7285678	B2	20071023				
PRIORITY APPLN. INFO.:			US	2001-275061P	P	20010326
			WO	2002-GB1433	W	20020325

AB A method for removing impurities from 2-nitro-4-methylsulfonylbenzoic acid comprises at least two of the following steps, in any order: (a) dissolving 2-nitro-4-methylsulfonylbenzoic acid in water at a pH of 2-10, followed by filtration; (b) contacting an aqueous solution of 2-nitro-4-methylsulfonylbenzoic acid with activated carbon at a pH of 2-10; (c) treating an aqueous solution of 2-nitro-4-methylsulfonylbenzoic acid with sufficient base to hydrolyze undesired nitro and dinitro substituted impurities; followed by maintaining the resulting aqueous solution comprising 2-nitro-4-methylsulfonylbenzoic acid at a temperature of up to about 95°C, and adjusting the pH of the solution to about a pH which is sufficient to effect crystallization of 2-nitro-4-methylsulfonylbenzoic acid upon

cooling.

IT 104206-82-8P, Mesotrione

RL: IMF (Industrial manufacture); PREP (Preparation)

(purification of 2-nitro-4-methylsulfonylbenzoic acid for preparation of)

RN 104206-82-8 CAPLUS

CN 1,3-Cyclohexanedione, 2-[4-(methylsulfonyl)-2-nitrobenzoyl]- (CA INDEX NAME)

REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=>

---Logging off of STN---

=>

Executing the logoff script...

=> LOG Y

COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION

FULL ESTIMATED COST 56.84 248.77

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE
ENTRY
SESSION

CA SUBSCRIBER PRICE

-6.56
-6.56

STN INTERNATIONAL LOGOFF AT 09:56:11 ON 15 JUL 2009

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:ssspta1621con

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

NEWS 1 Web Page for STN Seminar Schedule - N. America

NEWS 2 DEC 01 ChemPort single article sales feature unavailable

NEWS 3 APR 03 CAS coverage of exemplified prophetic substances enhanced

NEWS 4 APR 07 STN is raising the limits on saved answers

NEWS $\,$ 5 APR 24 CA/Caplus now has more comprehensive patent assignee information

NEWS 6 APR 26 USPATFULL and USPAT2 enhanced with patent assignment/reassignment information

NEWS 7 APR 28 CAS patent authority coverage expanded

NEWS 8 APR 28 ENCOMPLIT/ENCOMPLIT2 search fields enhanced

NEWS 9 APR 28 Limits doubled for structure searching in CAS REGISTRY

NEWS 10 MAY 08 STN Express, Version 8.4, now available

NEWS 11 MAY 11 STN on the Web enhanced

NEWS 12 MAY 11 BEILSTEIN substance information now available on STN Easy

NEWS 13 MAY 14 DGENE, PCTGEN and USGENE enhanced with increased limits for exact sequence match searches and introduction of free HIT display format

NEWS 14 MAY 15 INPADOCDB and INPAFAMDB enhanced with Chinese legal status data

NEWS 15 MAY 28 CAS databases on STN enhanced with NANO super role in records back to 1992

NEWS 16 JUN 01 CAS REGISTRY Source of Registration (SR) searching enhanced on STN

NEWS 17 JUN 26 NUTRACEUT and PHARMAML no longer updated

NEWS 18 JUN 29 IMSCOPROFILE now reloaded monthly

NEWS 19 JUN 29 EPFULL adds Simultaneous Left and Right Truncation (SLART) to AB, MCLM, and TI fields

NEWS 20 JUL 09 PATDPAFULL adds Simultaneous Left and Right Truncation (SLART) to AB, CLM, MCLM, and TI fields

STN: SEARCH

NEWS 21 JUL 14 USGENE enhances coverage of patent sequence location (PSL) data

NEWS 22 JUL 14 CA/CAplus to be enhanced with new citing references features

NEWS EXPRESS MAY 26 09 CURRENT WINDOWS VERSION IS V8.4, AND CURRENT DISCOVER FILE IS DATED 06 APRIL 2009.

NEWS HOURS STN Operating Hours Plus Help Desk Availability NEWS LOGIN Welcome Banner and News Items

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN customer agreement. This agreement limits use to scientific research. Use for software development or design, implementation of commercial gateways, or use of CAS and STN data in the building of commercial products is prohibited and may result in loss of user privileges and other penalties.

FILE 'HOME' ENTERED AT 13:50:28 ON 15 JUL 2009

---Logging off of STN---

Executing the logoff script...

=> LOG Y

COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION 0.22 0.22

FULL ESTIMATED COST

STN INTERNATIONAL LOGOFF AT 13:50:40 ON 15 JUL 2009